LABDEX

Micro Shaker LX900MS

Email: info@labdex.com Website: www.labdex.com

Description

Micro Shaker LX900MS is a compact, benchtop device with a sample processing capacity of 50ml samples at the same time. Built-in timer for easy sampling and maximum shaking speed extensible up to 50~2000rpm with ±10rpm speed accuracy.

Specifications

Display	LED
Oscillation mode	Point-vibration
Speed range	50~2000rpm
Speed accuracy	±10rpm
Oscillation amplitude	2mm
Max. capacity	50ml PCR tube x 24 Pcs
Max. load capacity	10 Kg
Timing Rang	0-60min
Tray number	1 Pcs (ABS)
Power	40 W
Power supply	AC 200-240V/50-60Hz.; AC110V/60Hz
Overall dimensions	300 x 240 x 260 mm
Net weight	20 Kg
Packing dimensions	410 x 360 x 450 mm
Gross weight	30 kg

Features

- Equipped with LED display
- Speed range up to 50~2000rpm with ±10rpm speed accuracy
- The timer range is 0-60min
- It has a point-vibration oscillation mode
- Equipped with one tray and maximum loading capacity is 10 kg

Applications

- Used in mixing blood sample, sticky substance and solid-liquid suspension.

71-75 Shelton Street Covent Garden, London WC2H 9JQ UK.

Email: info@labdex.com | Website: www.labdex.com